



TSC12-1-35WH
(with optional QT35LB-W lid)



Soft-Close, Top-Mount Waste & Recycling Bins

- KV medium-duty, full-extension ball-bearing slides with Soft-Close technology and 1" over-travel
- Door-mount brackets include six-way adjustability for precise door alignment and easy installation
- Bins & optional Lids fit securely into multi-ply birch veneered plywood with soft radius edges
- Single-bin units feature a heavy-duty epoxy-coated wire accessory basket
- Color coordinated steel decorative slide hardware covers provide strength and stability while concealing slide hardware, creating a streamlined, easy-to-clean design




TSC15-2-35PT

Unique KV Face Frame Adapter Mounting Hardware accommodates 1-3/4" face frame cabinets by allowing for installation in openings 1/2" smaller than standard sizes (excluding TSC15-2-35PT and TSC15-2-35WH).



TSC15-2-35



TSC12-1-35


See pages 16-17 for recommended cabinet dimensions and clearances. See page 14 for bin & lid information.

| Stock # | Sliding Assembly Width S | Assembled Product Dimensions | | | Finish | Capacity per Bin | Number of Bins | Units per Carton | Weight per Carton |
|-------------------------|---------------------------------|------------------------------|------------------|-------------------|----------|------------------|----------------|------------------|---------------------|
| | | Width W | Height* H | Depth D | | | | | |
| SINGLE BIN UNITS | | | | | | | | | |
| TSC12-1-35WH | 11-5/16" [287 mm] | 11-1/2" [292 mm] | 17-1/2" [445 mm] | 23-3/16" [589 mm] | White | 35 qt. | 1 | 1 | 13.9 lbs. [6.3 kg.] |
| TSC12-1-35PT | 11-5/16" [287 mm] | 11-1/2" [292 mm] | 17-1/2" [445 mm] | 23-3/16" [589 mm] | Platinum | 35 qt. | 1 | 1 | 13.9 lbs. [6.3 kg.] |
| TSC15-1-35WH | 14-5/16" [364 mm] | 14-1/2" [368 mm] | 17-1/2" [445 mm] | 23-3/16" [589 mm] | White | 35 qt. | 1 | 1 | 14.7 lbs. [6.7 kg.] |
| TSC15-1-35PT | 14-5/16" [364 mm] | 14-1/2" [368 mm] | 17-1/2" [445 mm] | 23-3/16" [589 mm] | Platinum | 35 qt. | 1 | 1 | 14.7 lbs. [6.7 kg.] |
| TSC15-1-50WH | 14-5/16" [364 mm] | 14-1/2" [368 mm] | 21-5/8" [549 mm] | 23-3/16" [589 mm] | White | 50 qt. | 1 | 1 | 15.7 lbs. [7.1 kg.] |
| TSC15-1-50PT | 14-5/16" [364 mm] | 14-1/2" [368 mm] | 21-5/8" [549 mm] | 23-3/16" [589 mm] | Platinum | 50 qt. | 1 | 1 | 15.7 lbs. [7.1 kg.] |
| DOUBLE BIN UNITS | | | | | | | | | |
| TSC15-2-35WH | 14-13/16" [376 mm] | 15" [381 mm] | 17-1/2" [445 mm] | 23-3/16" [589 mm] | White | 35 qt. | 2 | 1 | 14.9 lbs. [6.8 kg.] |
| TSC15-2-35PT | 14-13/16" [376 mm] | 15" [381 mm] | 17-1/2" [445 mm] | 23-3/16" [589 mm] | Platinum | 35 qt. | 2 | 1 | 14.9 lbs. [6.8 kg.] |
| TSC18-2-35WH | 17-5/16" [440 mm] | 17-1/2" [445 mm] | 17-1/2" [445 mm] | 23-3/16" [589 mm] | White | 35 qt. | 2 | 1 | 15.6 lbs. [7.1 kg.] |
| TSC18-2-35PT | 17-5/16" [440 mm] | 17-1/2" [445 mm] | 17-1/2" [445 mm] | 23-3/16" [589 mm] | Platinum | 35 qt. | 2 | 1 | 15.6 lbs. [7.1 kg.] |

* If using lid, add 3/4". 30 lbs. maximum per bin, not to exceed 80 lbs. total weight. Not intended for bulk storage.

Replacement Bins & Lids

| Stock # | Dimensions | | | Finish | Description | Units per Carton | Weight per Carton |
|-------------|------------------|------------------|------------------|----------|-------------|------------------|---------------------|
| | Width W | Height* H | Depth D | | | | |
| BINS | | | | | | | |
| QT20PB-WH | 14-1/4" [362 mm] | 16" [406 mm] | 7-1/4" [184 mm] | White | 20 qt. | 6 | 12 lbs. [5.4 kg.] |
| QT20PB-PT | 14-1/4" [362 mm] | 16" [406 mm] | 7-1/4" [184 mm] | Platinum | 20 qt. | 6 | 12 lbs. [5.4 kg.] |
| QT27PB-W | 10-5/8" [270 mm] | 17-3/4" [451 mm] | 10-5/8" [270 mm] | White | 27 qt. | 10 | 17.4 lbs. [7.9 kg.] |
| QT27PB-PT | 10-5/8" [270 mm] | 17-3/4" [451 mm] | 10-5/8" [270 mm] | Platinum | 27 qt. | 10 | 17.4 lbs. [7.9 kg.] |
| QT32PB-W | 14" [356 mm] | 20" [508 mm] | 11-3/4" [298 mm] | White | 32 qt. | 1 | 4 lbs. [1.8 kg.] |
| QT35PB-WH | 14-1/4" [362 mm] | 17-1/2" [445 mm] | 9-3/16" [233 mm] | White | 35 qt. | 6 | 14 lbs. [6.4 kg.] |
| QT35PB-PT | 14-1/4" [362 mm] | 17-1/2" [445 mm] | 9-3/16" [233 mm] | Platinum | 35 qt. | 6 | 14 lbs. [6.4 kg.] |
| QT50PB-W | 15-3/8" [391 mm] | 21-3/8" [542 mm] | 11-1/8" [283 mm] | White | 50 qt. | 8 | 20 lbs. [9.1 kg.] |
| QT50PB-P | 15-3/8" [391 mm] | 21-3/8" [542 mm] | 11-1/8" [283 mm] | Platinum | 50 qt. | 8 | 20 lbs. [9.1 kg.] |
| LIDS | | | | | | | |
| QT20LB-WH | 14-1/2" [368 mm] | * | 7-7/16" [189 mm] | White | Fits 20 qt. | 1 | 2 lbs. [0.9 kg.] |
| QT20LB-PT | 14-1/2" [368 mm] | * | 7-7/16" [189 mm] | Platinum | Fits 20 qt. | 1 | 2 lbs. [0.9 kg.] |
| QT35LB-WH | 14-1/2" [368 mm] | * | 9-9/16" [243 mm] | White | Fits 35 qt. | 1 | 2 lbs. [0.9 kg.] |
| QT35LB-PT | 14-1/2" [368 mm] | * | 9-9/16" [243 mm] | Platinum | Fits 35 qt. | 1 | 2 lbs. [0.9 kg.] |



* Lid adds 3/4" to bin height.

See pages 16-17 for recommended cabinet dimensions and clearances. See page 14 for bin and lid information.

| Replacement Bin Chart | | | | | |
|-----------------------|---------------------------|-----------------|---------------------------|-----------------|---------------------------|
| PRODUCT NUMBER: | REPLACEMENT STOCK NUMBER: | PRODUCT NUMBER: | REPLACEMENT STOCK NUMBER: | PRODUCT NUMBER: | REPLACEMENT STOCK NUMBER: |
| SCB10-1-35WH | QT35PB-WH | PDMTM145-1-50WH | QT50PB-W | TSC15-1-35WH | QT35PB-WH |
| SCB10-1-35PT | QT35PB-PT | PDMTM15-2-35WH | QT35PB-WH | TSC15-1-35PT | QT35PB-PT |
| SCB12-1-50WH | QT50PB-W | PDMTM175-2-35WH | QT35PB-WH | TSC15-1-50WH | QT50PB-W |
| SCB12-1-50PT | QT50PB-P | PDMTM18-2-35WH | QT35PB-WH | TSC15-1-50PT | QT50PB-P |
| SCB12-2-27WH | QT27PB-W | PDMTM21-2-35WH | QT35PB-WH | TSC15-2-35WH | QT35PB-WH |
| SCB12-2-27PT | QT27PB-PT | SBM12-2-27WH | QT27PB-W | TSC15-2-35PT | QT35PB-PT |
| SCB15-1-20WH | QT20PB-WH | SBM24-4-27WH | QT27PB-W | TSC18-2-35WH | QT35PB-WH |
| SCB15-1-20PT | QT20PB-PT | SBM10-1-35WH | QT35PB-WH | TSC18-2-35PT | QT35PB-PT |
| SCB15-2-20WH | QT20PB-WH | SBM12-1-50WH | QT50PB-W | USC12-1-35WH | QT35PB-WH |
| SCB15-2-20PT | QT20PB-PT | SBM15-1-20WH | QT20PB-WH | USC12-1-35PT | QT35PB-PT |
| SCB15-2-35WH | QT35PB-WH | SBM15-1-35WH | QT35PB-WH | USC12-1-50WH | QT50PB-W |
| SCB15-2-35PT | QT35PB-PT | SBM15-2-20WH | QT20PB-WH | USC12-1-50PT | QT50PB-PT |
| SCB15-3-20WH | QT20PB-WH | SBM15-2-35WH | QT35PB-WH | USC12-2-27WH | QT27PB-W |
| SCB15-3-20PT | QT20PB-PT | SBM15-3-20WH | QT20PB-WH | USC12-2-27PT | QT27PB-PT |
| SCB24-4-27WH | QT27PB-W | SBM9-1-20WH | QT20PB-WH | USC15-2-35WH | QT35PB-WH |
| SCB24-4-27PT | QT27PB-PT | RRC28K-W | QT32PB-W | USC15-2-35PT | QT35PB-PT |
| SCB9-1-20PT | QT20PB-PT | RRC28PT-W | QT32PB-W | USC18-2-50WH | QT50PB-WH |
| SCB9-1-20WH | QT20PB-WH | TSC12-1-35WH | QT35PB-WH | USC18-2-50PT | QT50PB-PT |
| PDMTM115-1-35WH | QT35PB-WH | TSC12-1-35PT | QT35PB-PT | | |
| PDMTM12-1-35WH | QT35PB-WH | | | | |





Cabinet Dimensions

| Stock # | Min. Cabinet Opening | | Minimum Interior Cabinet Dimensions | | Minimum Cabinet Clearances | |
|----------------------------------|----------------------|------------------|-------------------------------------|------------------|----------------------------|---------------|
| | Width O | Width W | Height* H | Depth D | Front F | Back B |
| SINGLE BIN UNITS | | | | | | |
| NON-DOOR-MOUNT | | | | | | |
| ECW9-1-20WH | 14-1/2" [368 mm] | 7-1/2" [191 mm] | 17-1/2" [444 mm] | 16" [406 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| ECW10-1-35WH | 14-1/2" [368 mm] | 10" [254 mm] | 19" [482 mm] | 16" [406 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB9-1-20PT | 9" [229 mm] | 9" [229 mm] | 17-13/16" [452 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB9-1-20WH | 9" [229 mm] | 9" [229 mm] | 17-13/16" [452 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB10-1-35PT | 10" [254 mm] | 10" [254 mm] | 19-5/16" [491 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB10-1-35WH | 10" [254 mm] | 10" [254 mm] | 19-5/16" [491 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB12-1-50PT | 12" [305 mm] | 12" [305 mm] | 23-3/8" [594 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB12-1-50WH | 12" [305 mm] | 12" [305 mm] | 23-3/8" [594 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-1-20PT | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 16" [407 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-1-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 16" [407 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM9-1-20WH | 9" [229 mm] | 9" [229 mm] | 17-13/16" [452 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM10-1-35WH | 10" [254 mm] | 10" [254 mm] | 19-5/16" [491 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM12-1-50WH | 12" [305 mm] | 12" [305 mm] | 23-3/8" [594 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-1-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 16-3/8" [416 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-1-35WH | 15" [381 mm] | 15" [381 mm] | 19-5/16" [491 mm] | 16-3/8" [416 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| DOOR-MOUNT (BOTTOM-MOUNT) | | | | | | |
| DWB975-W | 12" [305 mm] | 12" [305 mm] | 12-1/8" [308 mm] | 7-1/2" [191 mm] | – | 1/8" [3 mm] |
| WUSC12-1-35PT | 11-3/4" [298 mm] | 11-3/4" [298 mm] | 19-1/2" [241 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC12-1-35WH | 11-3/4" [298 mm] | 11-3/4" [298 mm] | 19-1/2" [241 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC12-1-50PT | 11-3/4" [298 mm] | 11-3/4" [298 mm] | 23-1/2" [597 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC12-1-50WH | 11-3/4" [298 mm] | 11-3/4" [298 mm] | 23-1/2" [597 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| USC12-1-35WH | 12" [305 mm] | 12" [305 mm] | 19-3/16" [487 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC12-1-35PT | 12" [305 mm] | 12" [305 mm] | 19-3/16" [487 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC12-1-50WH | 12" [305 mm] | 12" [305 mm] | 23-5/16" [592 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC12-1-50PT | 12" [305 mm] | 12" [305 mm] | 23-5/16" [592 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| DOOR-MOUNT (TOP-MOUNT) | | | | | | |
| PDMTM115-1-35WH | 11-1/2" [292 mm] | 11-1/2" [292 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM12-1-35WH | 12" [305 mm] | 12" [305 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM145-1-50WH | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 22-1/8" [562 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| TSC12-1-35WH | 11-1/2" [292 mm] | 11-1/2" [292 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC12-1-35PT | 11-1/2" [292 mm] | 11-1/2" [292 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-1-35WH | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-1-35PT | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-1-50WH | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 22-1/8" [562 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-1-50PT | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 22-1/8" [562 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |

* If using lid, add 3/4".

Dimensions shown are recommended minimum cabinet dimensions and clearances.

Example of Face Frame Cabinet Application



Cabinet Dimensions

| Stock # | Min. Cabinet Opening | | Minimum Cabinet Dimensions | | Minimum Cabinet Clearances | |
|--|----------------------|------------------|----------------------------|-------------------|----------------------------|---------------|
| | Width O | Width W | Height* H | Depth D | Front F | Back B |
| DOUBLE BIN UNITS - NON-DOOR-MOUNT | | | | | | |
| SCB12-2-27PT | 12" [305 mm] | 12" [305 mm] | 19" [482 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| SCB12-2-27WH | 12" [305 mm] | 12" [305 mm] | 19" [482 mm] | 22-9/16" [573 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-2-20PT | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 20-3/8" [518 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-2-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 20-3/8" [518 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-2-35PT | 15" [381 mm] | 15" [381 mm] | 19-5/16" [491 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-2-35WH | 15" [381 mm] | 15" [381 mm] | 19-5/16" [491 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM12-2-27WH | 12" [305 mm] | 12" [305 mm] | 19" [482 mm] | 22-9/16" [573 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-2-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 20-3/8" [518 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-2-35WH | 15" [381 mm] | 15" [381 mm] | 19-5/16" [491 mm] | 22-3/8" [568 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| DOOR-MOUNT (BOTTOM-MOUNT) | | | | | | |
| WUSC12-2-27PT | 11-1/2" [292 mm] | 11-3/4" [298 mm] | 19-3/4" [502 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC12-2-27WH | 11-1/2" [292 mm] | 11-3/4" [298 mm] | 19-3/4" [502 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC15-2-35PT | 14-1/2" [368 mm] | 14-3/4" [375 mm] | 19-1/2" [502 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC15-2-35WH | 14-1/2" [368 mm] | 14-3/4" [375 mm] | 19-1/2" [502 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC18-2-50PT | 17" [432 mm] | 17" [432 mm] | 23-1/4" [591 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| WUSC18-2-50WH | 17" [432 mm] | 17" [432 mm] | 23-1/4" [591 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| USC12-2-27PT | 12" [305 mm] | 12" [305 mm] | 19-1/4" [489 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| USC12-2-27WH | 12" [305 mm] | 12" [305 mm] | 19-1/4" [489 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| USC15-2-35WH | 15" [381 mm] | 15" [381 mm] | 19-3/16" [487 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC15-2-35PT | 15" [381 mm] | 15" [381 mm] | 19-3/16" [487 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC18-2-50WH | 16" [406 mm] | 15-5/8" [397 mm] | 23-5/16" [592 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC18-2-50PT | 16" [406 mm] | 15-5/8" [397 mm] | 23-5/16" [592 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| DOOR-MOUNT (TOP-MOUNT) | | | | | | |
| PDMTM15-2-35WH | 15" [381 mm] | 15" [381 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM175-2-35WH | 17-1/2" [445 mm] | 17-1/2" [445 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM18-2-35WH | 18" [457 mm] | 18" [457 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM21-2-35WH | 21" [533 mm] | 21" [533 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| TSC15-2-35WH | 15" [381 mm] | 15" [381 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-2-35PT | 15" [381 mm] | 15" [381 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC18-2-35WH | 17-1/2" [445 mm] | 17-1/2" [445 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC18-2-35PT | 17-1/2" [445 mm] | 17-1/2" [445 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TRIPLE BIN UNITS - NON-DOOR-MOUNT | | | | | | |
| SCB15-3-20PT | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-3-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-3-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| FOUR BIN UNITS - NON-DOOR-MOUNT | | | | | | |
| SCB24-4-27-PT | 24" [610 mm] | 24" [610 mm] | 19-1/2" [495 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| SCB24-4-27WH | 24" [610 mm] | 24" [610 mm] | 19-1/2" [495 mm] | 22-5/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM24-4-27WH | 24" [610 mm] | 24" [610 mm] | 19-1/2" [495 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/2" [13 mm] |

* If using lid, add 3/4".

Example of Frameless / Euro-Style Cabinet Application

