

Drawer Inserts & Sink Front Trays

- Tableware Trays36
- Utility Trays37
- Spice Trays38
- Steel Sink Front Trays39
- Polymer & Extruded Sink Front Trays41
- Scissor & Euro-Tray Hinges44
- Drawer Insert Diagrams45
- Cabinet Dimensions46








Double-Tiered Tableware Tray
(1775-W with removable top tray shown)




Single-Tiered Tableware Tray
(TW1217-W shown)

Tableware Trays

- Organizes tableware, cutlery and more into easy-access trays
- Durable, high gloss white polystyrene cleans up easily and trims to fit drawer
- Double-tiered units offer double storage capacity and come pre-assembled with epoxy-coated drawer slides



Double-Tiered Tableware Tray
(1475-W shown)



Single-Tiered Tableware Tray
(TW1217-W shown)

See page 45 for compartment information. See page 46 for minimum drawer dimensions.

Stock #	Height H	Width W	Depth D	Finish	Units per Carton	Weight per Carton
DOUBLE-TIERED TABLEWARE TRAYS* (WITH REMOVABLE TOP TRAY)						
1475-W	3-1/2" [89 mm]**	12-1/4" [311 mm] to 14-3/4" [375 mm]	17-1/4" [438 mm] to 19-1/4" [489 mm]	White	1	4.7 lbs. [2.1 kg.]
1775-W	3-1/2" [89 mm]**	15-1/4" [387 mm] to 17-3/4" [451 mm]	17-1/4" [438 mm] to 19-1/4" [489 mm]	White	1	5.4 lbs. [2.4 kg.]
2075-W	3-1/2" [89 mm]**	18-1/4" [464 mm] to 20-3/4" [527 mm]	17-1/4" [438 mm] to 19-1/4" [489 mm]	White	1	6.1 lbs. [2.8 kg.]
SINGLE-TIERED TABLEWARE TRAYS						
TW850-W	2-3/16" [56 mm]	8-3/4" [222 mm] to 11-3/4" [298 mm]	17-5/16" [440 mm] to 21" [533 mm]	White	10	8.9 lbs. [4.0 kg.]
TW1217-W	2-1/8" [54 mm]	12-3/8" [314 mm] to 14-11/16" [373 mm]	17-5/16" [440 mm] to 21" [533 mm]	White	10	10.7 lbs. [4.9 kg.]
TW1517-W	2-1/8" [54 mm]	15-5/16" [389 mm] to 17-11/16" [449 mm]	17-5/16" [440 mm] to 21" [533 mm]	White	10	12.9 lbs. [5.9 kg.]
TW1817-W	2-1/8" [54 mm]	18-3/8" [467 mm] to 21-1/8" [537 mm]	17-3/8" [441 mm] to 21" [533 mm]	White	10	15.4 lbs. [7.0 kg.]
TW850-1-W	2-3/16" [56 mm]	8-3/4" [222 mm] to 11-3/4" [298 mm]	17-5/16" [440 mm] to 21" [533 mm]	White	1	1.2 lbs. [0.5 kg.]
TW1217-1-W	2-1/8" [54 mm]	12-3/8" [314 mm] to 14-11/16" [373 mm]	17-5/16" [440 mm] to 21" [533 mm]	White	1	2.3 lbs. [1.0 kg.]
TW1517-1-W	2-1/8" [54 mm]	15-5/16" [389 mm] to 17-11/16" [449 mm]	17-5/16" [440 mm] to 21" [533 mm]	White	1	2.8 lbs. [1.3 kg.]
TW1817-1-W	2-1/8" [54 mm]	18-3/8" [467 mm] to 21-1/8" [537 mm]	17-3/8" [441 mm] to 21" [533 mm]	White	1	3.0 lbs. [1.4 kg.]

*Rear of cabinet drawer needs to be notch cut to allow top tray of Double-Tiered Tableware Trays to slide back.


**Height includes top and bottom tray.

Utility Trays

- Multipurpose Utility Trays neatly organize kitchen utensils, craft supplies, tools and more
- Cosmetic Tray organizes cosmetics and small items into 5 easy-to-access rows and compartments
- Durable, high gloss white polystyrene cleans up easily and can be cut to fit




Multipurpose Utility Tray
(UT1217-W shown)




UT1217-W



Cosmetic Tray
(COS2075-W shown)



UT1517-W & UT1817-W




COS2075-W

Stock #	Height H	Width W	Depth D	Finish	Units per Carton	Weight per Carton
MULTI-PURPOSE UTILITY TRAYS						
UT1217-W	2-3/16" [56 mm]	12-3/8" [314 mm] to 14-3/4" [375 mm]	17-3/8" [441 mm] to 21" [533 mm]	White	10	11.2 lbs. [5.1 kg.]
UT1517-W	2-3/16" [56 mm]	15-5/16" [389 mm] to 17-3/4" [451 mm]	17-5/16" [440 mm] to 21" [533 mm]	White	10	12.7 lbs. [5.8 kg.]
UT1817-W	2-3/16" [56 mm]	18-3/8" [467 mm] to 21-1/8" [537 mm]	17-5/16" [440 mm] to 21" [533 mm]	White	10	14.2 lbs. [6.4 kg.]
COSMETIC TRAY						
COS2075-W	2-7/8" [73 mm]	5" [127 mm] to 21-1/2" [546 mm]	16-1/4" [413 mm] to 21" [533 mm]	White	1	2.5 lbs. [1.1 kg.]




See page 45 for compartment information. See page 46 for minimum drawer dimensions.

Spice Trays



- Organizes spices or small items into four neat rows
- Birch veneer finish on Wood Spice Trays complements most interior wood drawer finishes
- Durable, high gloss white Polymer Spice Trays clean up easily and can be cut to fit



Wood Spice Tray
(SPICETRAY10)



Polymer Spice Tray
(SDG-1088-1-W)




See page 46 for minimum drawer dimensions.

Stock #	Height H	Width W	Depth D	Finish	Units per Carton	Weight per Carton
WOOD SPICE TRAYS						
SPICETRAY10	1-13/16" [46 mm]	10-1/8" [257 mm]	19-1/2" [495 mm]	Birch Veneer	1	2.8 lbs. [1.3 kg.]
SPICETRAY13	1-13/16" [46 mm]	13-1/8" [333 mm]	19-1/2" [495 mm]	Birch Veneer	1	3.8 lbs. [1.7 kg.]
SPICETRAY16	1-13/16" [46 mm]	16-1/8" [410 mm]	19-1/2" [495 mm]	Birch Veneer	1	4.2 lbs. [1.9 kg.]
SPICETRAY19	1-13/16" [46 mm]	19-1/8" [486 mm]	19-1/2" [495 mm]	Birch Veneer	1	5.1 lbs. [2.3 kg.]
POLYMER SPICE TRAYS						
SDG1088-1-W	2" [51 mm]	12-1/8" [308 mm] to 14-3/4" [375 mm]	16-1/4" [413 mm] to 21" [533 mm]	White	1	1.9 lbs. [0.9 kg.]
SDG1088-W	2" [51 mm]	12-1/8" [308 mm] to 14-3/4" [375 mm]	16-1/4" [413 mm] to 21" [533 mm]	White	10	8.6 lbs. [3.9 kg.]

Steel Sink Front Trays

- 2" deep tray
- Designed for use with Scissor or Euro-Tray Hinges (Sold separately. See page 44.)
- White trays feature durable epoxy-coated finish
- For use with face frame or frameless (Euro-Style) cabinetry



ESF10-W
(Hinges not included)

Stock #	Height H	Width W	Depth D	Finish	Units per Carton	Weight per Carton
STEEL SINK FRONT TRAYS (WITHOUT STOPS)						
SF10	3" [76 mm]	10-1/16" [256 mm]	2" [51 mm]	Stainless Steel	10	4.7 lbs. [2.1 kg.]
SF11	3" [76 mm]	11-5/16" [287 mm]	2" [51 mm]	Stainless Steel	10	4.9 lbs. [2.2 kg.]
SF13	3" [76 mm]	13-1/16" [332 mm]	2" [51 mm]	Stainless Steel	10	5.6 lbs. [2.5 kg.]
SF14	3" [76 mm]	14" [356 mm]	2" [51 mm]	Stainless Steel	10	6.7 lbs. [3.0 kg.]
SF16	3" [76 mm]	16-1/16" [408 mm]	2" [51 mm]	Stainless Steel	10	7.1 lbs. [3.2 kg.]
SF19	3" [76 mm]	19-1/16" [484 mm]	2" [51 mm]	Stainless Steel	10	7.6 lbs. [3.4 kg.]
SF22	3" [76 mm]	22-1/16" [560 mm]	2" [51 mm]	Stainless Steel	10	8.9 lbs. [4.0 kg.]
SF25	3" [76 mm]	25-1/16" [637 mm]	2" [51 mm]	Stainless Steel	10	9.4 lbs. [4.2 kg.]
SF28	3" [76 mm]	28-1/16" [713 mm]	2" [51 mm]	Stainless Steel	10	10.4 lbs. [4.7 kg.]
SF31	3" [76 mm]	31-1/16" [789 mm]	2" [51 mm]	Stainless Steel	10	11.2 lbs. [5.0 kg.]
ESF10-W	3" [76 mm]	10-1/16" [256 mm]	2" [51 mm]	White	10	5.2 lbs. [2.4 kg.]
ESF13-W	3" [76 mm]	13-1/16" [332 mm]	2" [51 mm]	White	10	6.4 lbs. [2.9 kg.]
ESF14-W	3" [76 mm]	14" [356 mm]	2" [51 mm]	White	10	6.9 lbs. [3.2 kg.]
ESF16-W	3" [76 mm]	16-1/16" [408 mm]	2" [51 mm]	White	10	7.6 lbs. [3.4 kg.]
ESF19-W	3" [76 mm]	19-1/16" [484 mm]	2" [51 mm]	White	10	9.1 lbs. [4.1 kg.]
ESF22-W	3" [76 mm]	22-1/16" [560 mm]	2" [51 mm]	White	10	10.5 lbs. [4.8 kg.]
ESF25-W	3" [76 mm]	25-1/16" [637 mm]	2" [51 mm]	White	10	12 lbs. [5.4 kg.]
ESF28-W	3" [76 mm]	28-1/16" [713 mm]	2" [51 mm]	White	10	13 lbs. [5.9 kg.]
ESF31-W	3" [76 mm]	31-1/16" [789 mm]	2" [51 mm]	White	10	14.7 lbs. [6.7 kg.]


Uses two - #8 x 1/2 screws (not included).

See page 46 for minimum door dimensions.



Steel Sink Front Trays (with stops)

- 1-5/8" built-in stop prevents items from tipping out
- Designed for use with standard self-closing hinges (not included) used on most cabinetry
- White trays feature durable epoxy-coated finish
- For use with face frame or frameless (Euro-Style) cabinetry



**Steel Sink Front Tray
(with Stops)**



ESF10W-W

Stock #	Height H	Width W	Depth D	Finish	Units per Carton	Weight per Carton
STEEL SINK FRONT TRAYS (WITH STOPS)						
SF10W	3" [76 mm]	11-5/8" [295 mm]	3" [76 mm]	Stainless Steel	10	5 lbs. [2.3 kg.]
SF11W	3" [76 mm]	12-7/8" [327 mm]	3" [76 mm]	Stainless Steel	10	5.4 lbs. [2.4 kg.]
SF13W	3" [76 mm]	14-5/8" [371 mm]	3" [76 mm]	Stainless Steel	10	5.8 lbs. [2.6 kg.]
SF14W	3" [76 mm]	15-9/16" [395 mm]	3" [76 mm]	Stainless Steel	10	6.0 lbs. [2.7 kg.]
SF16W	3" [76 mm]	17-5/8" [448 mm]	3" [76 mm]	Stainless Steel	10	6.9 lbs. [3.1 kg.]
SF19W	3" [76 mm]	20-5/8" [524 mm]	3" [76 mm]	Stainless Steel	10	7.6 lbs. [3.4 kg.]
SF22W	3" [76 mm]	23-5/8" [600 mm]	3" [76 mm]	Stainless Steel	10	9.1 lbs. [4.1 kg.]
SF25W	3" [76 mm]	26-5/8" [676 mm]	3" [76 mm]	Stainless Steel	10	11.8 lbs. [5.4 kg.]
SF28W	3" [76 mm]	29-5/8" [752 mm]	3" [76 mm]	Stainless Steel	10	13.9 lbs. [6.3 kg.]
SF31W	3" [76 mm]	32-5/8" [829 mm]	3" [76 mm]	Stainless Steel	10	14.5 lbs. [6.6 kg.]
ESF10W-W	3" [76 mm]	11-5/8" [295 mm]	3" [76 mm]	White	10	6.2 lbs. [2.8 kg.]
ESF11W-W	3" [76 mm]	12-7/8" [327 mm]	3" [76 mm]	White	10	6.6 lbs. [3.0 kg.]
ESF13W-W	3" [76 mm]	14-5/8" [371 mm]	3" [76 mm]	White	10	7.2 lbs. [3.3 kg.]
ESF14W-W	3" [76 mm]	15-9/16" [395 mm]	3" [76 mm]	White	10	7.8 lbs. [3.5 kg.]
ESF16W-W	3" [76 mm]	17-5/8" [448 mm]	3" [76 mm]	White	10	8.2 lbs. [3.7 kg.]
ESF19W-W	3" [76 mm]	20-5/8" [524 mm]	3" [76 mm]	White	10	9.6 lbs. [4.4 kg.]
ESF22W-W	3" [76 mm]	23-5/8" [600 mm]	3" [76 mm]	White	10	11.1 lbs. [5 kg.]
ESF25W-W	3" [76 mm]	26-5/8" [676 mm]	3" [76 mm]	White	10	11.8 lbs. [5.4 kg.]
ESF28W-W	3" [76 mm]	29-5/8" [752 mm]	3" [76 mm]	White	10	13.9 lbs. [6.3 kg.]
ESF31W-W	3" [76 mm]	32-5/8" [829 mm]	3" [76 mm]	White	10	15 lbs. [6.8 kg.]

See page 46 for minimum door dimensions.

Uses two - #8 x 1/2 screws (not included).

Polymer Sink Front Trays

- 1-5/8" deep tray is ideal for solid surface countertops with large deep sink applications
- Designed for use with Scissor or Euro-Tray Hinges (Sold separately. See page 44.)
- For use with face frame or frameless (Euro-Style) cabinetry




PSF11-W
(Without ring holder)
(Hinges not included)



PSF11RS-A
(Includes ring holder. Hinges not included)



PSF11RS-W
(Includes ring holder)
(Hinges not included)



Polymer Sink Front Tray

Stock #	Height H	Width W	Depth D	Finish	Ring holder	Units per Carton	Weight per Carton
POLYMER SINK FRONT TRAYS							
PSF8.62-W	3" [76 mm]	8-5/8" [219 mm]	2" [51 mm]	White	No	10	2.9 lbs. [1.3 kg.]
PSF11-PF-W	3" [76 mm]	11" [279 mm]	1-5/8" [41 mm]	White	No	10	3.3 lbs. [1.5 kg.]
PSF11-W	3" [76 mm]	11" [279 mm]	2" [51 mm]	White	No	10	3 lbs. [1.4 kg.]
PSF11RS-W	3" [76 mm]	11" [279 mm]	2" [51 mm]	White	Yes	10	3.1 lbs. [1.4 kg.]
PSF14-PF-W	3" [76 mm]	14" [356 mm]	1-5/8" [41 mm]	White	No	10	3.6 lbs. [1.6 kg.]
PSF14-W	3" [76 mm]	14" [356 mm]	2" [51 mm]	White	No	10	3.5 lbs. [1.5 kg.]
PSF14RS-W	3" [76 mm]	14" [356 mm]	2" [51 mm]	White	Yes	10	3.6 lbs. [1.6 kg.]
PSF2425-W	3" [76 mm]	24-3/8" [619 mm]	2" [51 mm]	White	No	10	6.2 lbs. [2.8 kg.]
PSF3025-W	3" [76 mm]	30-7/16" [773 mm]	2" [51 mm]	White	No	10	7.2 lbs. [3.3 kg.]
PSF11-A	3" [76 mm]	11" [279 mm]	2" [51 mm]	Almond	No	10	3.0 lbs. [1.3 kg.]
PSF11RS-A	3" [76 mm]	11" [279 mm]	2" [51 mm]	Almond	Yes	10	3.1 lbs. [1.4 kg.]
PSF14-PF-A	3" [76 mm]	14" [356 mm]	1-5/8" [41 mm]	Almond	No	10	3.6 lbs. [1.6 kg.]
PSF14-A	3" [76 mm]	14" [356 mm]	2" [51 mm]	Almond	No	10	3.5 lbs. [1.5 kg.]
PSF14RS-A	3" [76 mm]	14" [356 mm]	2" [51 mm]	Almond	Yes	10	3.6 lbs. [1.6 kg.]
PSF2425-A	3" [76 mm]	24-3/8" [619 mm]	2" [51 mm]	Almond	No	10	6.2 lbs. [2.8 kg.]
PSF3025-A	3" [76 mm]	30-7/16" [773 mm]	2" [51 mm]	Almond	No	10	7.2 lbs. [3.3 kg.]

Uses two - #8 x 1/2 screws (not included).

See page 47 for minimum door dimensions.

Polymer Sink Front Trays & Hinge Kits


- 1-5/8" deep tray is ideal for solid surface countertops with large deep sink applications
- For use with face frame or frameless (Euro-Style) cabinetry
- Two trays, two pairs of Scissor Hinges (SH-1) with hardware and instructions included




PSF14SH-2-W
(Hinges included)



PSF11SH-2-W
(Hinges included)



Polymer Sink Front Tray & Hinge Kit



Scissor Hinge
(SH-10)



Kits include 2 pairs of Scissor Hinges (SH-10)


See page 47 for minimum drawer dimensions.

Stock #	Height H	Width W	Depth D	Finish	Kits per Carton	Weight per Carton
POLYMER SINK FRONT TRAYS & HINGE KITS						
PSF8.62SH-2-W	3" [76 mm]	8-5/8" [219 mm]	2" [51 mm]	White	10	1.1 lbs. [0.5 kg.]
PSF11-PF-SH-2-W	3" [76 mm]	11" [279 mm]	1-5/8" [41 mm]	White	10	1.6 lbs. [0.7 kg.]
PSF11SH-2-W	3" [76 mm]	11" [279 mm]	2" [51 mm]	White	40	1.8 lbs. [0.8 kg.]
PSF14-PF-SH-2-W	3" [76 mm]	14" [356 mm]	1-5/8" [41 mm]	White	10	2.0 lbs. [0.9 kg.]
PSF14SH-2-W	3" [76 mm]	14" [356 mm]	2" [51 mm]	White	21	2.2 lbs. [1.0 kg.]



Polymer Sink Front Trays (with stops)

- Designed for use with standard self-closing hinges (not included) used on most cabinetry
- For use with face frame or frameless (Euro-Style) cabinetry
- Built-in stops prevent items from tipping out




**Polymer Sink Front Tray
with Stops**



Extruded Sink Front Trays

- Extruded Sink Front Tray (cut-to-fit 34" or 72" widths)
- For face frame or frameless (Euro-Style) cabinetry
- Use with Scissor or Euro-Tray Hinges (see page 44)
- Easy-to-clean, durable white PVC




**Extruded Sink
Front Tray [XSF34-10-W]
End Caps [HP-XSF-EC-20-W]
(Sold separately with adhesive.)**

Stock #	Height H	Width W	Depth D	Finish	Units per Carton	Weight per Carton
POLYMER SINK FRONT TRAY WITH STOPS*						
PSF11W-W	3" [76 mm]	12-3/8" [314 mm]	2-3/4" [70 mm]	White	10	3.3 lbs. [1.5 kg.]
PSF14W-W	3" [76 mm]	15-3/8" [391 mm]	2-3/4" [70 mm]	White	10	3.6 lbs. [1.6 kg.]
PSF14W-A	3" [76 mm]	15-3/8" [391 mm]	2-3/4" [70 mm]	Almond	10	3.6 lbs. [1.6 kg.]
EXTRUDED SINK FRONT TRAYS						
XSF34-10-W	4" [102 mm]	33-3/4" [857 mm]	2-1/8" [60 mm]	White	10	6.9 lbs. [3.1 kg.]
XSF72-10-W	4" [102 mm]	72" [1,829 mm]	2-1/8" [60 mm]	White	10	15.7 lbs. [7.1 kg.]
HP-XSF-EC-20-W	4" [102 mm]	3/4" [19 mm]	2-3/8" [60 mm]	White	20 pairs	2.2 lbs. [1 kg.]


* Tray uses two - #8 x 1/2 screws (not included).

Scissor & Euro-Tray Hinges

- Scissor Hinges are spring-loaded and self-closing with internal stop
- For use with face frame or frameless (Euro-Style) cabinetry
- Mounting hardware and instructions included
- Not intended for full overlay or inset cabinet applications



Scissor Hinge
(SH-10)



Euro-Tray Hinge
(ET-H-N)




See page 47 for minimum door dimensions.


Stock #	Height	Width	Depth	Finish	Units per Carton	Weight per Carton
SCISSOR HINGES						
SH-1-S/P	3-13/16" [97 mm]	2-7/8" [73 mm]	1-7/8" [48 mm]	Nickel-Plated	1 pair	1 lbs. [0.5 kg.]
SH-10	3-13/16" [97 mm]	2-7/8" [73 mm]	1-7/8" [48 mm]	Nickel-Plated	10 pair	5.1 lbs. [2.3 kg.]
SH-40	3-13/16" [97 mm]	2-7/8" [73 mm]	1-7/8" [48 mm]	Nickel-Plated	40 pair	20 lbs. [9.1 kg.]
EURO-TRAY HINGES						
ET-H-N	2-7/8" [73 mm]	3-3/4" [95 mm]	2-1/4" [57 mm]	Nickel-Plated	10 pair	6.4 lbs. [2.9 kg.]

Drawer Insert Diagrams


DOUBLE-TIERED TABLEWARE TRAYS




SINGLE-TIERED TABLEWARE TRAYS



MULTIPURPOSE UTILITY TRAYS



Cabinet Dimensions




Stock #	Height H	Width W	Depth D
DOUBLE-TIERED TABLEWARE TRAYS (with removable top tray)			
1475-W	3-3/4" [95 mm]	12-1/4" [311 mm]	17-1/4" [438 mm]
1775-W	3-3/4" [95 mm]	15-1/4" [387 mm]	17-1/4" [438 mm]
2075-W	3-3/4" [95 mm]	18-1/4" [464 mm]	17-1/4" [438 mm]
SINGLE-TIERED TABLEWARE TRAYS			
TW850-W	2-7/16" [62 mm]	8-3/4" [222 mm]	17-5/16" [440 mm]
TW1217-W	2-3/8" [60 mm]	12-3/8" [314 mm]	17-5/16" [440 mm]
TW1517-W	2-3/8" [60 mm]	15-5/16" [389 mm]	17-5/16" [440 mm]
TW1817-W	2-3/8" [60 mm]	18-3/8" [467 mm]	17-3/8" [441 mm]
TW850-1-W	2-7/16" [62 mm]	8-3/4" [222 mm]	17-5/16" [440 mm]
TW1217-1-W	2-3/8" [60 mm]	12-3/8" [314 mm]	17-5/16" [440 mm]
TW1517-1-W	2-3/8" [60 mm]	15-5/16" [389 mm]	17-5/16" [440 mm]
TW1817-1-W	2-3/8" [60 mm]	18-3/8" [467 mm]	17-3/8" [441 mm]
MULTIPURPOSE UTILITY TRAYS			
UT1217-W	2-7/16" [62 mm]	12-3/8" [314 mm]	17-3/8" [441 mm]
UT1517-W	2-7/16" [62 mm]	15-5/16" [389 mm]	17-5/16" [440 mm]
UT1817-W	2-7/16" [62 mm]	18-3/8" [467 mm]	17-5/16" [440 mm]
COSMETIC DRAWER TRAYS			
COS2075-W	3-1/8" [79 mm]	5" [127 mm]	16-1/4" [413 mm]
WOOD SPICE TRAYS			
SPICETRAY10	2-1/16" [52 mm]	10-1/4" [260 mm]	19-5/8" [498 mm]
SPICETRAY13	2-1/16" [52 mm]	13-1/4" [337 mm]	19-5/8" [498 mm]
SPICETRAY16	2-1/16" [52 mm]	16-1/4" [413 mm]	19-5/8" [498 mm]
SPICETRAY19	2-1/16" [52 mm]	19-1/4" [489 mm]	19-5/8" [498 mm]
POLYMER SPICE TRAYS			
SDG1088-1-W	2-1/4" [57 mm]	12-1/8" [308 mm]	16-1/4" [413 mm]
SDG1088-W	2-1/4" [57 mm]	12-1/8" [308 mm]	16-1/4" [413 mm]

Stock #	Height H	Width W	Depth D
STEEL SINK FRONT TRAYS (without stops)			
SF10	3-1/2" [89 mm]	10-9/16" [268 mm]	2-1/2" [64 mm]
SF11	3-1/2" [89 mm]	11-13/16" [300 mm]	2-1/2" [64 mm]
SF13	3-1/2" [89 mm]	13-9/16" [344 mm]	2-1/2" [64 mm]
SF14	3-1/2" [89 mm]	14-1/2" [368 mm]	2-1/2" [64 mm]
SF16	3-1/2" [89 mm]	16-9/16" [421 mm]	2-1/2" [64 mm]
SF19	3-1/2" [89 mm]	19-9/16" [497 mm]	2-1/2" [64 mm]
SF22	3-1/2" [89 mm]	22-9/16" [573 mm]	2-1/2" [64 mm]
SF25	3-1/2" [89 mm]	25-9/16" [649 mm]	2-1/2" [64 mm]
SF28	3-1/2" [89 mm]	28-9/16" [725 mm]	2-1/2" [64 mm]
SF31	3-1/2" [89 mm]	31-9/16" [802 mm]	2-1/2" [64 mm]
ESF10-W	3-1/2" [89 mm]	10-9/16" [268 mm]	2-1/2" [64 mm]
ESF13-W	3-1/2" [89 mm]	13-9/16" [344 mm]	2-1/2" [64 mm]
ESF14-W	3-1/2" [89 mm]	14-1/2" [368 mm]	2-1/2" [64 mm]
ESF16-W	3-1/2" [89 mm]	16-9/16" [421 mm]	2-1/2" [64 mm]
ESF19-W	3-1/2" [89 mm]	19-9/16" [497 mm]	2-1/2" [64 mm]
ESF22-W	3-1/2" [89 mm]	22-9/16" [573 mm]	2-1/2" [64 mm]
ESF25-W	3-1/2" [89 mm]	25-9/16" [649 mm]	2-1/2" [64 mm]
ESF28-W	3-1/2" [89 mm]	28-9/16" [725 mm]	2-1/2" [64 mm]
ESF31-W	3-1/2" [89 mm]	31-9/16" [802 mm]	2-1/2" [64 mm]
STEEL SINK FRONT TRAYS (with stops)			
SF10W	3-1/2" [89 mm]	12-1/8" [308 mm]	3-1/2" [89 mm]
SF11W	3-1/2" [89 mm]	13-3/8" [340 mm]	3-1/2" [89 mm]
SF13W	3-1/2" [89 mm]	15-1/8" [384 mm]	3-1/2" [89 mm]
SF14W	3-1/2" [89 mm]	16-1/16" [408 mm]	3-1/2" [89 mm]
SF16W	3-1/2" [89 mm]	18-1/8" [460 mm]	3-1/2" [89 mm]
SF19W	3-1/2" [89 mm]	21-1/8" [537 mm]	3-1/2" [89 mm]
SF22W	3-1/2" [89 mm]	24-1/8" [613 mm]	3-1/2" [89 mm]
SF25W	3-1/2" [89 mm]	27-1/8" [689 mm]	3-1/2" [89 mm]
SF28W	3-1/2" [89 mm]	30-1/8" [765 mm]	3-1/2" [89 mm]
SF31W	3-1/2" [89 mm]	33-1/8" [841 mm]	3-1/2" [89 mm]
ESF10W-W	3-1/2" [89 mm]	12-1/8" [308 mm]	3-1/2" [89 mm]
ESF11W-W	3-1/2" [89 mm]	13-3/8" [340 mm]	3-1/2" [89 mm]
ESF13W-W	3-1/2" [89 mm]	15-1/8" [384 mm]	3-1/2" [89 mm]
ESF14W-W	3-1/2" [89 mm]	16-1/16" [408 mm]	3-1/2" [89 mm]
ESF16W-W	3-1/2" [89 mm]	18-1/8" [460 mm]	3-1/2" [89 mm]
ESF19W-W	3-1/2" [89 mm]	21-1/8" [537 mm]	3-1/2" [89 mm]
ESF22W-W	3-1/2" [89 mm]	24-1/8" [613 mm]	3-1/2" [89 mm]
ESF25W-W	3-1/2" [89 mm]	27-1/8" [689 mm]	3-1/2" [89 mm]
ESF28W-W	3-1/2" [89 mm]	30-1/8" [765 mm]	3-1/2" [89 mm]
ESF31W-W	3-1/2" [89 mm]	33-1/8" [841 mm]	3-1/2" [89 mm]

Dimensions shown are recommended minimum interior drawer and door opening dimensions. Minimum interior drawer dimensions allow for 1/8" clearance and 3/8" lip on all sides of drawer inserts.

Cabinet Dimensions



Stock #	Height H	Width W	Depth D
POLYMER SINK FRONT TRAYS & HINGE KITS (dimensions include hinge kits)			
PSF8.62SH-2-A	3-1/2" [89 mm]	10-1/8" [257 mm]	2-1/2" [64 mm]
PSF8.62SH-2-W	3-1/2" [89 mm]	10-1/8" [257 mm]	2-1/2" [64 mm]
PSF11-PF-SH-2-A	3-1/2" [89 mm]	12-1/2" [318 mm]	2-1/8" [54 mm]
PSF11-PF-SH-2-W	3-1/2" [89 mm]	12-1/2" [318 mm]	2-1/8" [54 mm]
PSF11SH-2-A	3-1/2" [89 mm]	12-1/2" [318 mm]	2-1/2" [64 mm]
PSF11SH-2-W	3-1/2" [89 mm]	12-1/2" [318 mm]	2-1/2" [64 mm]
PSF14-PF-SH-2-A	3-1/2" [89 mm]	15-1/2" [394 mm]	2-1/8" [54 mm]
PSF14-PF-SH-2-W	3-1/2" [89 mm]	15-1/2" [394 mm]	2-1/8" [54 mm]
PSF14SH-2-A	3-1/2" [89 mm]	15-1/2" [394 mm]	2-1/2" [64 mm]
PSF14SH-2-W	3-1/2" [89 mm]	15-1/2" [394 mm]	2-1/2" [64 mm]
POLYMER SINK FRONT TRAYS (with stops)			
PSF11W-W	3-1/2" [89 mm]	11-1/2" [292 mm]	3-1/4" [83 mm]
PSF14W-A	3-1/2" [89 mm]	14-1/2" [368 mm]	3-1/4" [83 mm]
PSF14W-W	3-1/2" [89 mm]	14-1/2" [368 mm]	3-1/4" [83 mm]
SCISSOR HINGES			
SH-1-S/P	4-1/16" [103 mm]	3-1/8" [79 mm]	2-3/8" [60 mm]
SH-10	4-1/16" [103 mm]	3-1/8" [79 mm]	2-3/8" [60 mm]
SH-40	4-1/16" [103 mm]	3-1/8" [79 mm]	2-3/8" [60 mm]
EURO-TRAY HINGES			
ET-H-N	3-1/8" [79 mm]	4" [102 mm]	2-3/4" [70 mm]

Stock #	Height H	Width W (with Scissor Hinges)	Width W (with Euro-Tray Hinges)	Depth D
POLYMER SINK FRONT TRAYS				
PSF8.62-A	3-1/2" [89 mm]	10-1/8" [257 mm]	12-7/8" [327 mm]	2-1/2" [64 mm]
PSF8.62-W	3-1/2" [89 mm]	10-1/8" [257 mm]	12-7/8" [327 mm]	2-1/2" [64 mm]
PSF11-A	3-1/2" [89 mm]	12-1/2" [318 mm]	15-1/4" [387 mm]	2-1/2" [64 mm]
PSF11-PF-A	3-1/2" [89 mm]	12-1/2" [318 mm]	15-1/4" [387 mm]	2-1/8" [54 mm]
PSF11-PF-W	3-1/2" [89 mm]	12-1/2" [318 mm]	15-1/4" [387 mm]	2-1/8" [54 mm]
PSF11-W	3-1/2" [89 mm]	12-1/2" [318 mm]	15-1/4" [387 mm]	2-1/2" [64 mm]
PSF11RS-A	3-1/2" [89 mm]	12-1/2" [318 mm]	15-1/4" [387 mm]	2-1/2" [64 mm]
PSF11RS-W	3-1/2" [89 mm]	12-1/2" [318 mm]	15-1/4" [387 mm]	2-1/2" [64 mm]
PSF14-A	3-1/2" [89 mm]	15-1/2" [394 mm]	18-1/4" [464 mm]	2-1/2" [64 mm]
PSF14-PF-A	3-1/2" [89 mm]	15-1/2" [394 mm]	18-1/4" [464 mm]	2-1/8" [54 mm]
PSF14-PF-W	3-1/2" [89 mm]	15-1/2" [394 mm]	18-1/4" [464 mm]	2-1/8" [54 mm]
PSF14-W	3-1/2" [89 mm]	15-1/2" [394 mm]	18-1/4" [464 mm]	2-1/2" [64 mm]
PSF14RS-A	3-1/2" [89 mm]	15-1/2" [394 mm]	18-1/4" [464 mm]	2-1/2" [64 mm]
PSF14RS-W	3-1/2" [89 mm]	15-1/2" [394 mm]	18-1/4" [464 mm]	2-1/2" [64 mm]
PSF2425-A	3-1/2" [89 mm]	25-7/8" [657 mm]	28-5/8" [727 mm]	2-1/2" [64 mm]
PSF2425-W	3-1/2" [89 mm]	25-7/8" [657 mm]	28-5/8" [727 mm]	2-1/2" [64 mm]
PSF3025-A	3-1/2" [89 mm]	31-15/16" [811 mm]	34-11/16" [881 mm]	2-1/2" [64 mm]
PSF3025-W	3-1/2" [89 mm]	31-15/16" [811 mm]	34-11/16" [881 mm]	2-1/2" [64 mm]
EXTRUDED SINK FRONT TRAYS (dimensions include HP-XSF-EC-20-W End Caps)				
XSF34-10-W	4-1/2" [114 mm]	35-1/2" [902 mm]	38-1/4" [972 mm]	2-7/8" [114 mm]
XSF72-10-W	4-1/2" [114 mm]	73-3/4" [1,873 mm]	76-1/2" [1,943 mm]	2-7/8" [114 mm]

Dimensions shown are recommended minimum door opening dimensions.