

# Wood & Wire Systems

Kitchen Organization



KNAPE & VOGT.

## A Complete Solution

Knap & Vogt Wood & Wire Organization Systems add a sought-after level of functionality to today's kitchen, maximizing cabinet organization and making the most of under-counter space.

These units mount easily into base cabinets of all sizes to meet a wide range of kitchen storage needs. Gliding effortlessly on durable KV slides, they offer maximum accessibility to cabinet contents while minimizing bending and reaching into under-counter spaces.

Baltic birch platforms paired with heavy-gauge wire frames finished in eco-friendly frosted nickel offer a fresh, clean look that complements any kitchen décor.




Beautifully designed, engineered to last and backed by world-class quality and service, KV Wood & Wire Systems are the complete kitchen solution.



# Lazy Susans

## Wood Lazy Susan Drawer Systems

- KV Eco-Friendly Frosted Nickel finish
- Two drawers slide out on KV Soft-Close undermount slides for easy access
- Unit pivots right or left to access four adjustable wood and wire baskets
- 1/2" thick, multi-ply shelf platforms with UV-cured clear coat finish



# Pull-Out Systems




P2500CM-FN with BP20CM-FNW




P5450CM-FN with BP20CM-FNW

## Center-Mount Pantry Roll-Out & Baskets

- Mounted to KV precision ball-bearing slides
- KV Eco-Friendly Frosted Nickel finish
- Center-Mount Baskets (sold separately) mount with four screws (included)
- Basket height can be varied in 3-3/4" increments
- Basket platforms are 1/2" thick Birch veneer with a UV-cured clear coat finish



**Center-Mount Pantry Roll-Out**  
(P4650CM-FN shown)



**Center-Mount Basket**  
(BP14CM-FNW shown)






BP11CM-FNW

# Pull-Out Systems



## Slide-Out Base Blind Corner Unit

- KV Eco-Friendly Frosted Nickel finish
- Provides easy access to hard-to-reach blind corners
- Opens by manually pulling each half of the unit out of cabinet in three easy steps
- KV heavy-duty precision ball-bearing slides
- Left and Right hand options available



# Pull-Out Systems



**SPS27-FN**  
(Top and bottom extended)




**SPS21-FN**  
(Single cabinet. Top shelf extended.)



**SPS21-FN**  
(Single cabinet. Bottom shelf extended.)

## Pot & Pan Caddy

- KV Eco-Friendly Frosted Nickel finish
- Two separate pull-out sections provide flexible pot and pan storage and access
- Pre-finished Birch veneer platforms with contoured skirting and Frosted Nickel heavy-gauge wire fencing
- Easy installation with only four screws




# Pull-Out Systems




## Wood & Wire Tray Divider Roll-Outs

- KV Eco-Friendly Frosted Nickel finish
- Heavy gauge Frosted Nickel wire frames
- Birch veneer base platform
- Slides out on heavy-duty, full-extension ball-bearing slides





# Pull-Out Systems



## Appliance Lift

- Kitchen appliances raise effortlessly with a gas cylinder assist and then lock securely into place
- Can be outfitted with a custom block platform or a quality KV pre-made maple wood platform
- Lift can be positioned at two different levels: flush with counter or 2" below counter



NOTE: Install 1/2" down and 1/2" back from Upper Face Frame (as shown)


# Pull-Out Systems

## Pot & Pan Pantry Organizer

- Mounted to KV precision ball-bearing slides
- Heavy gauge wire frames
- Handle allows for easy opening and closing of unit
- KV Eco-Friendly Frosted Nickel finish
- A perfect complement to any Frosted Nickel Pantry Roll-Out
- Six movable hooks (included) have rubber grips that reduce pan sway and allow pot and pan storage to be customized



Center-Mount Pantry  
Roll-Out & Baskets



**PAN1700TM-FN**  
(shown in upper cabinet)

# Product Dimensions

Stock #	Maximum # of Baskets	Individual Product Dimensions			Platform [Wire/Platform]	Units per Carton	Weight per Carton
		Height	Width	Depth			
<b>CENTER-MOUNT PANTRY ROLL-OUTS</b>							
P1875CM-FN	2	20-1/2" – 22-1/2" [521-572 mm]	3-13/16" [97 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	12.6 lbs. [5.7 kg.]
P2500CM-FN	2	26-3/4" – 28-3/4" [679-730 mm]	3-13/16" [97 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	13.5 lbs. [6.1 kg.]
P4250CM-FN	4	44" – 49-3/8" [1,118-1,254 mm]	3-13/16" [97 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	15.6 lbs. [7.1 kg.]
P4650CM-FN	5	48" – 53-3/8" [1,219-1,356 mm]	3-13/16" [97 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	15.9 lbs. [7.2 kg.]
P5450CM-FN	6	56" – 61-3/8" [1,422-1,559 mm]	3-13/16" [97 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	17 lbs. [7.7 kg.]

<b>CENTER-MOUNT BASKETS</b>							
Stock #	Sliding Assembly Width	Height	Width	Depth	Finish	Units per Carton	Weight per Carton
BP5CM-FNW	–	4-1/8" [105 mm]	5" [127 mm]	20-7/16" [519 mm]	Frosted Nickel*/Birch	2	6.3 lbs. [2.9 kg.]
BP8CM-FNW	–	4-1/8" [105 mm]	8" [203 mm]	20-7/16" [519 mm]	Frosted Nickel*/Birch	2	8.8 lbs. [4.0 kg.]
BP11CM-FNW	–	4-1/8" [105 mm]	11" [279 mm]	20-7/16" [519 mm]	Frosted Nickel*/Birch	2	12.1 lbs. [5.5 kg.]
BP14CM-FNW	–	4-1/8" [105 mm]	14" [356 mm]	20-7/16" [519 mm]	Frosted Nickel*/Birch	2	13.5 lbs. [6.1 kg.]
BP17CM-FNW	–	4-1/8" [105 mm]	17" [432 mm]	20-7/16" [519 mm]	Frosted Nickel*/Birch	2	16 lbs. [7.3 kg.]
BP20CM-FNW	–	4-1/8" [105 mm]	20" [508 mm]	20-7/16" [519 mm]	Frosted Nickel*/Birch	2	17.4 lbs. [7.9 kg.]

Sliding assembly width is the same as widest basket width. Load capacity not to exceed 100 lbs.

Stock #	Sliding Assembly Width	Assembled Product Dimensions			Finish	Units per Carton	Weight per Carton
		Height	Width	Depth			
<b>SLIDE-OUT BASE BLIND CORNER UNITS (LEFT)</b>							
BBCS-L-15-FN	14" [356 mm]	19-3/4" [502 mm]	26-3/16" [665 mm]	22-3/16" [564 mm]	Frosted Nickel*/Wood	1	63.9 lbs. [29 kg.]
BBCT-L-15-FN	14" [356 mm]	26-3/4" [679 mm]	26-3/16" [665 mm]	22-3/16" [564 mm]	Frosted Nickel*/Wood	1	67.6 lbs. [30.7 kg.]
<b>SLIDE-OUT BASE BLIND CORNER UNITS (RIGHT)</b>							
BBCS-R-15-FN	14" [356 mm]	19-3/4" [502 mm]	26-3/16" [665 mm]	22-3/16" [564 mm]	Frosted Nickel*/Wood	1	63.9 lbs. [29.0 kg.]
BBCT-R-15-FN	14" [356 mm]	26-3/4" [679 mm]	26-3/16" [665 mm]	22-3/16" [564 mm]	Frosted Nickel*/Wood	1	67.6 lbs. [30.7 kg.]

Stock #	Sliding Assembly Width	Assembled Product Dimensions			Finish [Wire/Platform]	Units per Carton	Weight per Carton
		Width	Height	Depth			
<b>POT &amp; PAN CADDY</b>							
SPS21-FN	19-1/2" [495 mm]	19-1/2" [495 mm]	14-1/4" [362 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	32.6 lbs. [14.8 kg.]
SPS27-FN	25-1/2" [648 mm]	25-1/2" [648 mm]	14-1/4" [362 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	33.8 lbs. [15.3 kg.]
<b>WOOD &amp; WIRE TRAY DIVIDER ROLL-OUTS</b>							
TDRO-FNW-6	5-1/2" [140 mm]	5-1/2" [140 mm]	14" [356 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	11.5 lbs. [5.2 kg.]
TDRO-FNW-9	8-1/2" [216 mm]	8-1/2" [216 mm]	14" [356 mm]	22-1/4" [565 mm]	Frosted Nickel*/Birch	1	13.9 lbs. [6.3 kg.]

Stock #	Description	Width	Height	Depth	Finish	Units per Carton	Weight per Carton
<b>APPLIANCE LIFT PARTS</b>							
HAL-20	Hardware Mechanism (left and right arm)	Platform Surface + 2-1/2" [64 mm]	23-61/64" [608 mm]	Maximum of 13" [330 mm] or Platform Depth	Platinum	1	13.7 lbs. [6.2 kg.]
WAL13.5-1	13-1/2" Maple Block Platform	13-1/2" [343 mm]	1-1/2" [38 mm]	18" [457 mm]	Maple	1	9.9 lbs. [4.5 kg.]
WAL16.5-1	16-1/2" Maple Block Platform	16-1/2" [419 mm]	1-1/2" [38 mm]	18" [457 mm]	Maple	1	12.3 lbs. [5.6 kg.]
HAL-BSKT	Accessory Basket	9-7/8" [251 mm]	4-7/8" [124 mm]	12-7/8" [327 mm]	Black/Birch	1	4.2 lbs. [1.9 kg.]

Stock #	Sliding Assembly Width	Overall Product Dimensions			Finish	Units per Carton	Weight per Carton
		Height	Width	Depth			
<b>POT &amp; PAN PANTRY ORGANIZER</b>							
PAN1700TM-FN	16-7/8" [429 mm]	19-3/8" [492 mm]	17-3/4" [451 mm]	23 to 24-5/8" [584 - 625 mm]	Frosted Nickel*/Birch	1	14 lbs. [6.4 kg.]

\* Eco-Friendly Finish


For in-depth information about KV's entire line of kitchen & bath products, including catalog pages, specification sheets, videos and more, visit [www.kv.com](http://www.kv.com) > Resource Library.

# Cabinet Dimensions

Stock #	Min. Cabinet Opening		Minimum Interior Cabinet Dimensions		Minimum Cabinet Clearances	
	Width <b>(D)</b>	Width <b>(W)</b>	Height <b>(H)</b>	Depth <b>(D)</b>	Front <b>(F)</b>	Back <b>(B)</b>
<b>Slide-Out Base Blind Corner Units</b>						
BBCS-L-15-FN	15" [381 mm]	26-11/16" [678 mm]	20-1/4" [514 mm]	22-11/16" [576 mm]	1/4" [6 mm]	1/4" [6 mm]
BBCT-L-15-FN	15" [381 mm]	26-11/16" [678 mm]	27-1/4" [692 mm]	22-11/16" [576 mm]	1/4" [6 mm]	1/4" [6 mm]
BBCS-R-15-FN	15" [381 mm]	26-11/16" [678 mm]	20-1/4" [514 mm]	22-11/16" [576 mm]	1/4" [6 mm]	1/4" [6 mm]
BBCT-R-15-FN	15" [381 mm]	26-11/16" [678 mm]	27-1/4" [692 mm]	22-11/16" [576 mm]	1/4" [6 mm]	1/4" [6 mm]
<b>Center-Mount Pantry Roll-Outs</b>						
P1875CM-FN	*	*	20-1/2" [520 mm]	22-1/4" [565 mm]	-	-
P2500CM-FN	*	*	26-3/4" [679 mm]	22-1/4" [565 mm]	-	-
P4250CM-FN	*	*	44" [1,117 mm]	22-1/4" [565 mm]	-	-
P4650CM-FN	*	*	48" [1,219 mm]	22-1/4" [565 mm]	-	-
P5450CM-FN	*	*	56" [1,422 mm]	22-1/4" [565 mm]	-	-
<b>Pot &amp; Pan Pantry Organizer</b>						
PAN1700TM-FN	18" [457 mm]	18" [457 mm]	24" [610 mm]	24" [610 mm]	-	1/2" [13 mm]
<b>Pot &amp; Pan Caddy</b>						
SPS21-FN	20" [508 mm]	20" [508 mm]	14-3/4" [375 mm]	22-3/4" [578 mm]	1/4" [6 mm]	1/4" [6 mm]
SPS27-FN	26" [660 mm]	26" [660 mm]	14-3/4" [375 mm]	22-3/4" [578 mm]	1/4" [6 mm]	1/4" [6 mm]
<b>Wood &amp; Wire Tray Divider Roll-Outs</b>						
TDRO-FNW-6	6" [152 mm]	6" [152 mm]	14-1/2" [368 mm]	22-3/4" [578 mm]	1/4" [6 mm]	1/4" [6 mm]
TDRO-FNW-9	9" [229 mm]	9" [229 mm]	14-1/2" [368 mm]	22-3/4" [578 mm]	1/4" [6 mm]	1/4" [6 mm]
<b>Appliance Lift</b>						
HAL-20	Platform Width + 1" [25 mm]	Platform Width + 2-1/2" [64 mm]	25" [634 mm]	Minimum of 16-1/2" [419 mm] OR platform depth	1/2" [13 mm]	1/2" [13 mm]

\* Minimum Cabinet Opening Width AND Minimum Cabinet Interior Width equals total width of completely assembled unit with all baskets applied, plus 1/2" clearance per side (1" total clearance for center-mounted units, 1/2" side clearance for side-mounted units). Dimensions shown are recommended minimum cabinet dimensions and clearances.

## Example of Frameless / Euro-Style Cabinet Application




\*\* Slide-out Base Blind Corner Units and Base Cabinet Organizers require 1/2" side clearance on one side, not both.

# Cabinet & Shelf Lip Dimensions

## FULL-ROUND LAZY SUSANS

A minimum 3/4" side clearance is recommended between Full-Round Lazy Susan shelves and all adjacent interior surfaces (cabinet, wall, etc.).


Dimensions shown are recommended minimum cabinet dimensions and clearances.




## KIDNEY-SHAPED LAZY SUSANS

- A** = Diameter
- B** = Face Frame Set-Back
- C** = Susan Center Set-Back
- D** = Cabinet Frame Out to Back of Susan
- E** = Radius
- F** = Min. Cabinet Depth
- G** = Center of Rotation
- H** = Min. Cabinet Opening


Dimensions shown are recommended minimum cabinet dimensions and clearances.



### WOOD Shelf Lip



### WIRE & POLYMER Shelf Lip



Stock #	E	F	G	H	I	J	K	Mounting
<b>WOOD Kidney-Shaped Lazy Susans</b>								
SDS-KD-28-FNW	14-7/16" [367 mm]	21-5/8" [549 mm]	6-7/16" [164 mm]	9-1/4" [235 mm]	4-1/8" [105 mm]	3-7/16" [87 mm]	2-1/16" [52 mm]	Top/Bottom

Stock #	Diameter	Assembled Product Dimensions				Finish	Units per Carton	Weight per Carton
	A	B	C	D				
<b>FULL-ROUND</b>								
SDS-FR-28-FNW	28" [711 mm]	-	-	-	Birch/Frosted Nickel**	1*	65.5 lbs. [29.7 kg.]	
<b>KIDNEY-SHAPED</b>								
SDS-KD-28-FNW	28-7/8" [733 mm]	20-15/16" [532 mm]	8" [203 mm]	5-11/16" [144 mm]	Birch/Frosted Nickel**	1*	63 lbs. [28.6 kg.]	

\* Product is shipped in two cartons.

\*\* Eco-Friendly.



**KNAPE & VOGT**

2700 Oak Industrial Dr. NE  
Grand Rapids, MI 49505-6026 USA  
Tel: 1.800.253.1561 | 616.459.3311  
Fax: 877.636.3290  
www.kv.com

This and other KV literature is available for download at [www.kv.com](http://www.kv.com) > Resource Library

Knap & Vogt reserves the right to change product specifications at any time without notice and without incurring responsibility for existing units.

©2017 Knap & Vogt. KV and the KV logo are trademarks of Knap & Vogt.

0L2329/0117