



PKT-250A Series

Aluminum track hardware for 250 lb pocket doors.

Classic hardware for ultra heavy-weight single pocket doors. The PKT-250A series features a 4-wheel ball bearing carrier and quick release top mount plate for smooth and sturdy gliding movement. Ideal for 250 lb pocket doors used in a variety of commercial and residential applications. Bi-parting doors are possible with the optional bi-parting door kit.

Door thickness:	1-3/8" to 1-3/4"
Load rating:	Up to 250 lbs per door
Track:	Aluminum box track
Carrier:	4-wheel ball bearing
Compares to:	Hettich/Grant 1210, Johnson 100PD, 200PD
Conforms to:	ANSI/BHMA A156.14-2007 Grade 1, D8681, D8691, D8692 With bi-parting kit - Grade 1, D8711, D8721, D8722

PKT-250A series configuration



ROUGH OPENING
2 x Door Width + 1"



3-1/4" max
2-7/16" min



3/8" min to
finish floor

Door Thickness:
1-3/8" - 1-3/4"

75 100 125 150 **250**
Pocket Door Weight (Lb)

PKT-75S | 75A PKT-100A PKT-125A PKT-150A **PKT-250A** Components

Packaged Sets

SKU	Door Panel Configuration	Pack Qty	lbs
PKT-250A-6	1 x 36" door	5	26
PKT-250A-8	1 x 48" door	5	37

Hardware Contents	PKT-250A-6	PKT-250A-8
Track-1801K	72"	96"
4-wheel ball bearing carrier-1820	2	2
Quick release top mount plate-1800-DBA	2	2
Door guide-0883	2	2
Door bumper-0881	1	1
Wrench-8710	1	1
Screws	Yes	Yes



PKT-250A-6

Knap & Vogt® products follow the ANSI A156.14-2007 testing standards established by BHMA.

1.800.253.1561 | www.kv.com



Tracks

SKU	Description	Pack Qty	Lbs
BK-1801-48K	48" Aluminum key-holed box track	5	6
BK-1801-60K	60" Aluminum key-holed box track	5	9
BK-1801-72K	72" Aluminum key-holed box track	5	14
BK-1801-96K	96" Aluminum key-holed box track	5	19



BK-1801K Series

Part Bags

SKU	Door Panels	Pack Qty	Lbs
PB-PKT-250	1	10	6

Hardware Contents	PB-PKT-250
4-wheel ball bearing carrier-1820	2
Quick release top mount plate-1800-DBA	2
Door guide-0883	2
Door bumper-0881	1
Wrench-8710	1
Screws	Yes



PB-PKT-250

Door Thickness:
1-3/8" - 1-3/4"

75 100 125 150 **250**
Pocket Door Weight (Lb)

PKT-75S | 75A PKT-100A PKT-125A PKT-150A **PKT-250A** Components

Components

SKU	Description	Pack Qty	Lbs
BK-0881	Door bumper	80	1
BK-0883	Pocket door guides	100	2
BK-1353-3.5	Floor plate, jamb spacer 3-1/2"	300	18
BK-1353-4.5	Floor plate, jamb spacer 4-1/2"	150	11
BK-1355	Jamb stiffener 81-3/4"	30	23
BK-1355-85	Jamb stiffener 85-3/4"	30	26
BK-1355-97	Jamb stiffener 97-3/4"	30	30
BK-1800-DBA	Quick release top mount plate	20	2
BK-1820	4-wheel ball bearing carrier with 1-1/4" diameter wheels	20	2
BX1062-26DA	Pocket door lock keyed alike nickel	5	2
BX1062-US26D	Pocket door lock keyed different nickel	5	2
BX1062-US3	Pocket door lock keyed different brass	5	2
BX1062-US3A	Pocket door lock keyed alike brass	5	2
PB-0884-US15	Edge pull (satin nickel)	10	1
PB-0884-US3	Edge pull (bright brass)	10	1
PB-1038-US15	Passage pull (bright brass)	6	2
PB-1038-US3	Passage pull (satin nickel)	6	2
PB-1039-US15	Privacy lock (satin nickel)	6	3
PB-1039-US3	Privacy lock (bright brass)	6	3
PB-1639	Bi-Parting door adapter kit	6	4



POCKET COMPONENTS



- BK-0881 Bumper**
- **Materials:** Plastic
 - **Dimension:** 1/2"
 - **Notes:** Includes screw. Is adhered to back end of door.



- BK-1355 Jamb stiffener**
- **Materials:** Galvanized steel
 - **Length:** 81-3/4"



- BK-0883-WT Pocket door guides**
- **Materials:** Plastic
 - **Guide:** 1-3/16" x 3/4" x 1-1/8" (21mm x 19mm x 29mm)
 - **Notes:** Two guides needed per door. Screws to jamb door guide. White.



- BK-1355-85 Jamb stiffener**
- **Materials:** Galvanized steel
 - **Length:** 85"



- BK-0883 Pocket door guides**
- **Materials:** Plastic
 - **Guide:** 1-3/16" x 3/4" x 1-1/8" (21mm x 19mm x 29mm)
 - **Notes:** Two guides needed per door. Screws to jamb door guide. Beige.



- BK-1355-97 Jamb stiffener**
- **Materials:** Galvanized steel
 - **Length:** 97"



- BK-0889 Pocket door guide**
- **Materials:** Plastic
 - **Notes:** Screws to jamb door guide. White.



- BK-1507-TM Top mount plate**
- **Materials:** Steel with brass finish



- BK-1353-3.5 Floor plate, jamb spacer**
- **Materials:** Galvanized steel
 - **Length:** 3-1/2"



- BK-1582 4-Wheel ball bearing carrier**
- **Materials:** Steel
 - **Wheel:** 7/8" (22mm) diameter
 - **Notes:** Wheels self-align to allow consistent contact with track. Lubricated plastic wheels on steel shafts.



- BK-1353-4.5 Floor plate, jamb spacer**
- **Materials:** Galvanized steel
 - **Length:** 4-1/2"



- BK-1606-QR 4-Wheel ball bearing carrier**
- **Materials:** Steel with brass finish
 - **Wheel:** 7/8" (22mm) diameter
 - **Notes:** Wheels self-align to allow consistent contact with track. Lubricated plastic wheels on steel shafts.



- BK-1800-DBA Quick release top mount plate**
- **Materials:** Zinc plated steel with plastic lever
 - **Notes:** Attaches to door. Carrier attaches to plate. Quick release feature.



- BN-0868-US5 Pull**
- **Finish:** Antique brass
 - **Diameter:** 2-1/8"



- BK-1820 4-Wheel ball bearing carrier**
- **Materials:** Zinc plated steel
 - **Wheel:** 1-1/4" (32mm) diameter
 - **Notes:** Wheels self-align to allow consistent contact with track. Lubricated plastic wheels on steel shafts.



- BX1062-26DA Lock**
- **Materials:** Steel
 - **Notes:** Nickel, keyed alike




- BN-0868-US10B Pull**
- **Finish:** Oil rubbed bronze
 - **Diameter:** 2-1/8"



- BX1062-US26D Lock**
- **Materials:** Steel
 - **Notes:** Nickel, keyed different (5 key random)




- BN-0868-US15 Pull**
- **Finish:** Satin nickel
 - **Diameter:** 2-1/8"



- BX1062-US3 Lock**
- **Materials:** Steel
 - **Notes:** Brass, keyed different (5 key random)



- BN-0868-US26 Pull**
- **Finish:** Bright chrome
 - **Diameter:** 2-1/8"



- BX1062-US3A Lock**
- **Materials:** Steel
 - **Notes:** Brass, keyed alike



- BN-0868-US3 Pull**
- **Finish:** Bright brass
 - **Diameter:** 2-1/8"



- PB-0884-US15 Edge pull**
- **Extends:** 1-1/16" (27 mm)
 - **Faceplate:** 21/32" x 3-1/2" (17mm x 89mm)
 - **Notes:** Satin nickel. Includes two screws. Ideal for narrow and standard door thicknesses.

**PB-0884-US3 Edge pull**

- **Extends:** 1-1/16" (27 mm)
- **Faceplate:** 21/32" x 3-1/2" (17mm x 89mm)
- **Notes:** Bright brass. Includes two screws. Ideal for narrow and standard door thicknesses.

**PB-1639 Bi-parting door adapter kit**

- **Notes:** For PKT-100A, PKT-125A, PKT-150A, PKT-250A

**PB-1038-US15 Pocket door latch**

- **Size:** 2-3/4" x 2-1/2" (70mm x 64mm)
- **Finish:** Satin nickel
- **Fasteners:** Included
- **Notes:** For use with 1-3/8" to 1-3/4" (35mm x 45mm) doors.

**PB-2004 4-Wheel carrier and quick release top mount plate**

- **Materials:** Zinc plated steel and plastic
- **Wheel:** 1" (25mm) diameter
- **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels.

**PB-1038-US3 Pocket door latch**

- **Size:** 2-3/4" x 2-1/2" (70mm x 64mm)
- **Finish:** Bright brass
- **Fasteners:** Included
- **Notes:** For use with 1-3/8" to 1-3/4" (35mm x 45mm) doors.

**PB-2004-BB 4-Wheel ball bearing carrier and quick release top mount plate**

- **Materials:** Zinc plated steel and plastic
- **Wheel:** 1" (25mm) diameter
- **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels.

**PB-1039-US15 Pocket door privacy latch**

- **Size:** 2-3/4" x 2-1/2" (70mm x 64mm)
- **Finish:** Satin nickel
- **Fasteners:** Included
- **Notes:** For use with 1-3/4" (45mm) doors.

**PB-1039-US3 Pocket door privacy latch**

- **Size:** 2-3/4" x 2-1/2" (70mm x 64mm)
- **Finish:** Bright brass
- **Fasteners:** Included
- **Notes:** For use with 1-3/4" (45mm) doors.

**PB-1437 Bi-parting door adapter kit**

- **Notes:** For PKT-75S, PKT-75A.

POCKET CROSS-REFERENCE

KV Series	Hettich/Grant	Johnson	Stanley
PKT-75S 75A	6023, 6053	2800, 2850, 111PD	PD75
PKT-100A	-	III PD, 2800, 2850	-
PKT-125A	-	100PD	-
PKT-150A	71-034, 71-111, 71-138, 71-222, 150, 5150	111PD	PD150
PKT-250A	1210	100PD, 200PD	-