PKF-75S Series

ROUGH OPENING
2 x Door Width + 1"

Pocket frame hardware for 75 lb pocket doors.

Durable pocket frame kit for medium-weight single pocket doors, 6'8" with traditional 2" x 4" framing. The PKF-75S features 4-wheel carriers with top mount plates and sturdy track-end and doorway-end brackets. Ideal for 75 lb pocket doors used in a variety of residential applications. Bi-parting doors are possible with the optional bi-parting door kit.

Door thickness:	1-3/8" to 1-3/4"
Door Height:	6'8"
Load rating:	Up to 75 lbs per door
Track:	Steel box track
Carrier:	4-wheel low friction bearing
Compares to:	Johnson 1500
Conforms to:	ANSI/BHMA A156.14-2007 Grade 2, D8672

With bi-parting kit - Grade 1, D8721, D8722

PKF-75S series configuration







Knape & Vogt® products follow the ANSI A156.14-2007 testing standards established by BHMA.

Frame Kit

SKU	Door Panel Configuration	Pack Qty	Pack Qty Weight (Lb)
PKF-75S-3	Door width up to 36"	1	26

Frame Kit Contents	PKF-75S-3
Nailer with 1599 steel track	1
Doorway end bracket-8661	1
Track end bracket-6805	1
Floor plate-8931	2
Split studs	4
4-wheel carrier-1572-N	2
Top mount plate-1507-TM	2
Door guide-0889	1
Door bumper-0881	1
Wrench-8665-B	1
Screws	Yes

Contents of Adaptor Kit for 1-3/4" thick doors	Qty
Floor plate-1840-FP	2
Wood shim-1634-WS	4
Finishing nail-1634-NAIL	8

PKF-75S

POCKET FRAME COMPONENTS

SKU	Length	Pack Qty	Pack Qty Weight (Lb)
BX1062-26DA	Pocket door lock, keyed alike, nickel	5	2
BX1062-US26D	Pocket door lock, keyed different, nickel	5	2
BX1062-US3	Pocket door lock, keyed different, brass	5	2
BX1062-US3A	Pocket door lock, keyed alike, brass	5	2
PB-0884-US15	Edge pull (satin nickel)	10	1
PB-0884-US3	Edge pull (bright brass)	10	1
PB-1038-US15	Passage pull (satin nickel)	6	2
PB-1038-US3	Passage pull (bright brass)	6	2
PB-1039-US15	Privacy lock (satin nickel)	6	3
PB-1039-US3	Privacy lock (bright brass)	6	3
PB-1437	Double pocket door adaptor kit	6	4
PB-1639	Bi-parting double door	6	4

BX1062-26DA Lock
- **Materials:** Steel
- **Notes:** Nickel, keyed alike.

BX1062-US26D Lock
- **Materials:** Steel
- **Notes:** Nickel, keyed different (5 key random).

BX1062-US3 Lock
- **Materials:** Steel
- **Notes:** Brass, keyed different (5 key random).

BX1062-US3A Lock
- **Materials:** Steel
- **Notes:** Brass, keyed alike.

PB-0884-US15 Edge pull
- **Extends:** 1-1/16" (27 mm)
- **Faceplate:** 21/32" x 3-1/2" (17mm x 89mm)
- **Notes:** Satin nickel. Includes two screws. Ideal for narrow and standard door thicknesses.

PB-0884-US3 Edge pull
- **Extends:** 1-1/16" (27 mm)
- **Faceplate:** 21/32" x 3-1/2" (17mm x 89mm)
- **Notes:** Bright brass. Includes two screws. Ideal for narrow and standard door thicknesses.

Knape & Vogt® products follow the ANSI A156.14-2007 testing standards established by BHMA.

PB-1038-US15 Pocket door latch
- **Size:** 2-3/4" x 2-1/2" (70mm x 64mm)
- **Finish:** Satin nickel
- **Fasteners:** Included
- **Notes:** For use with 1-3/8" to 1-3/4" (35mm x 45mm) doors.

PB-1039-US3 Pocket door privacy latch
- **Size:** 2-3/4" x 2-1/2" (70mm x 64mm)
- **Finish:** Bright brass
- **Fasteners:** Included
- **Notes:** For use with 1-3/4" (45mm) doors.

PB-1038-US3 Pocket door latch
- **Size:** 2-3/4" x 2-1/2" (70mm x 64mm)
- **Finish:** Bright brass
- **Fasteners:** Included
- **Notes:** For use with 1-3/8" to 1-3/4" (35mm x 45mm) doors.

PB-1437 Bi-parting door adapter kit
- **Notes:** For PKF-75S.

PB-1039-US15 Pocket door privacy latch
- **Size:** 2-3/4" x 2-1/2" (70mm x 64mm)
- **Finish:** Satin nickel
- **Fasteners:** Included
- **Notes:** For use with 1-3/4" (45mm) doors.

PB-1639 Bi-parting door adapter kit
- **Notes:** For PKF-100A, 150A, and 250A.

POCKET CROSS-REFERENCE

KV Series	Johnson	Stanley
PKF-75S	1500	–
PKF-100A | 100A7 | 100A8 | 100A6W	1500	–
PKF-150A | 150A7 | 150A8 | 150A6W	1500	PDF150N
PKF-250A	1560	PDF250N