

## Toolbox Slide Features

	Description	
SLIDE TRAVEL		
2 Way Travel	Allows slide to move in both directions	
Partial Extension	Slide travel is less than full extension	
Full Extension	Slide travel equals length of slide in closed position	
Over Travel Extension	Slide travel exceeds length of slide in close position	
ATTACHMENT FEATURES		
Mounting Holes	Accommodates rivets, bolts/nuts, screws	
Bayonet	Designed for tool-less, fast installation of metal storage	
Belt-loops	Designed for tool-less, fast installation of metal storage	
Brackets	Welded or snap-in brackets to support application	
OPEN/CLOSE FEATURES		
Hold In Detent	Positive hold-in feature	
Hold Out Detent	Positive hold-out feature	
Self-Close	Effective closure of slide using spring technology	
Soft-Close	Effective closure of slide with dampening technology	
Push Open	Effective closure eliminates need for knobs, handles and pulls	
Lock In / Lock Out	Mechanical latch keeping drawers opened or closed	
Anti-Tilt / INTERLOK™	Only one drawer opening at a time using Cable/Module system	
Lever Disconnect	Cabinet and drawer slide members disconnect	
Security Lock Integration	Leverage INTERLOK™ System to integrate with Security Lock	

	Description	
EFFORT FORCE		
Engineered Polymers	Materials to support open/close features	
Engineered Lubricant	Materials to deliver desired forces in actuating slide; Smokeless for high temperatures	
FINISH OPTIONS		
Zinc Plating	RoHS compliant finish in clear zinc and black	
E-Coating	RoHS compliant black finish	
Power-Coat	RoHS compliant	
STEEL OPTIONS		
Stainless Steel	For environments requiring high anti-corrosion components. Grade 304, 430	
Cold-Rolled Steel	RoHS compliant	
Hot-Rolled Steel	RoHS compliant	
High Strength Steel	Hardened steel to provide extra strength without changing steel gauge	
Galvanized	RoHS compliant	
PACKAGING		
Bulk	Typically 10-40 slides per corrugated carton	
Poly	Each slides placed in poly bag sleeve	
Quantity	Slides disconnected to support dual installation work centers	
Gaylord	Large quantity packaging for high volume applications	
Returnable	Reusable totes to eliminate dunnage & support line-side production	

